EAST FARMS TEACHER CHECKLIST RESPONSES

				24.			dininis	ticeof		cuels	76.	in.	work.
		od space	, da	Cyntal.	.25	يتهر	are like.	Refre telephore in the state of	Lastine of Rocks	ate I	erab.	Bertuine.	E HEE HOTE LE HEE OLD TO LOT THE LOT THE LOT THE
	Ą	HONO	ASCINITIE	dowell day	e of cluster	al cheaner	lass toom	" From wa	ined at h	Western Dr.	Hee Hon.	(radiatol.	In the state of the
4	char of the	ster	and ast	Stern corni	the Tark	OME Y US	ger Cr.	e free	raints inds i	e P	ie.	suggled was	ing dors ruli
andra c	in.	north le dib	6.11	ρ.	ad school	ound and	Called like	oersture in	OL undow bil	EUDAN DE	meter her	Son sud or	old. Torred Co.
3.16	t	A RECORDS HARD		Unser	s lee delikele sekolekel	έρ. 9 ₂ .	J. 10.	duning st.	A state of the sta	de freezen and ch	delinen 14	Tre to the To	the lapte do
Gym	No.	No	Yes	۰ ره Yes	Not Applicab	Yes	Yes	No	Yes	Yes	Nο	No	Yes
					le								
19 18	No No	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Na Yes	No Yes	Yes	Yes	Yes	Yes	Yes	No No
11	Nio.	Yes	Yes	Yes	Yes	Yes	No	Yes No	No Yes	Yes Yes	Yes	Yes Yes	Na No
23	No.	Yes	Yes	Yes	Yes	Yes	Na Na	Yes	Yes	Yes	Yes	Yes	Yes
Lu	140	163	163	ies	Not		10	163	res	163	ies	162	145
Strings Room	Yes	Yes	Yes	Yes	Applicab le	Yes	Yes	Nο	Yes	No	Yes	Yes	Yes
5	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	∨es	Yes	Yes	No
Sped Office · Hallway 1	No	Yes	Yes	Yes	Not Applicab le	Yes	Yes	No	Yes	∨es	Yes	Yes	Yes
15	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	ves	No	Yes	No
Room 12	Yes	Yes	Yes	Yes	Yes	Yes	Other	Yes	Yes	Yes	Yes	Yes	Yes
Room 20	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Art Room	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Professional Learning Classroom	No	Yes	Yes	Yes	Yes	No	∨es	Yes	Yes	Yes	Yeş	Yes	Yes
24	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
7	No	Yes	Yes		Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
101A - school psychologist	Na	Yes	Yas	Yes	Not Applicab	Yes	Yes	Yes	Yes	Yes	Yes		
office T3	Yes	No	Yes	Yes	le Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Room 9	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
113 Speech	No	Yes	Yes	Yes	Not Applicab	Yes	Yes	162	Yes	Yes	Yes	125	Yes
Pathology					le								
Room 100; former paper storage room	Yes	Yes	Ne	Yes	Not Applicab le	No	No	No	Yes	Yes	Yes	No	Yes
Office in Library	No	Yes	Yes	Yes	Not Applicab le	No	Yes	Yes	Yes	ves .	Yes	Yes	No
2	Yes	No	Yes	Yes	Yes	Yes	Yeş	Yes	Yes	∀es	Yes	Yes	Yes
6	Yes	Yes	Yes	Yes	Yes	Yes	ves	No	Yes	√es	Yes	Yes	Yes
21	No	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
⊢ealth Office	Yes	Yes	No			Yes	ves	Yes	Yes	Not Applicas	Yes	Yes	Yes
									Not	le			
4	No	Yes	Na	No	Yes	No	Yes	Νo	Applicab le	Yes	Yes	Yes	No
Literacy Intervention Office (inside the library)	No	Yes	Y÷s	Yes	Not Applicati le	Yes	Yes		Yes	Not Applicad le	Yes		No
22	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
16	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Yes	Yes
Room 1	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes



- Read the IAQ Backgrounder and the Background Information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response requires
 further attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Building and Grounds Maintenance Checklist

	0 / 44		
	me: Artur Marques		
Scl	hool: Ext Farms		
Rο	om or Area: Date Completed: //-	6-202	4
Sic	gnature:		
315	mature.		
1	BUILDING MAINTENANCE SUPPLIES		
		Yes ∕No	N/A
	Developed appropriate procedures and stocked supplies for spill control	_	
	Reviewed supply labels	♀ □	
le.	Ensured that air from chemical and trash storage areas vents to the outdoors	N/ m	
Ld	Stored chemical products and supplies in sealed, clearly labeled	🛥 🗀	J
Iu.	containers	🖬 🗆	
le.	Researched and selected the safest products available	u/ u	ū
	Ensured that supplies are being used according to manufacturers	,	
	instructions	9 🗀	
lg.	Ensured that chemicals, chemical-containing wastes, and containers are		
	disposed of according to manufacturers' instructions		
	Substituted less- or non-hazardous materials (where possible)	🖸 🗆	
li.	Scheduled work involving odorous or hazardous chemicals for periods when the school is unoccupied	g/ D	
Ιį.	Ventilated affected areas during and after the use of odorous or	🖼 🗀	u
ıj.	hazardous chemicals	🖬	
2.	GROUNDS MAINTENANCE SUPPLIES		
2a.	Stored grounds maintenance supplies in appropriate area(s)	2	
	Ensured that supplies are used and stored according to manufacturers'		
	instructions	ප⁄ 🗆	ü
2c.	Established and followed procedures to minimize exposure to fumes		
٠.	from supplies	<u>a</u> _ u	
	Reviewed and followed manufacturers' guidelines for maintenance	VI U	Ü
	Replaced portable gas cans with low-emission cans	av ப	
2f.	Stored chemical products and supplies in sealed clearly-labeled containers	B√ □	
20.	Ensured that chemicals, chemical-containing wastes, and containers are	🛥 🗀	
-5.	disposed of according to manufacturers' instructions	a⁄ 🗅	コ
_	DUOT CONTROL		
ర .	DUST CONTROL		
3a.	Installed and maintained barrier mats for entrances	בי∕ע	コ
	Used high efficiency vacuum bags		J
	Used proper dusting techniques		\Box
3d.	Wrapped feather dusters with a dust cloth		

3e. Cleaned air return grilles and air supply vents \square

4.	FLOOR CLEANING ,	Yes∠No	NI/A	7
4b.	Established and followed schedule for vacuuming and mopping floors			
5.	DRAIN TRAPS			
бb.	Poured water down floor drains once per week (about 1 quart of water) Ran water in sinks at least once per week (about 2 cups of water) Flushed toilets once each week (if not used regularly)	. 9 //0	0 0	
6.	MOISTURE, LEAKS, AND SPILLS	,		
6a.	Checked for moldy odors	. 🗹 🗅		
6b.	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)	. W a		
6c.	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)		۵	
6d.	Checked that windows, windowsills, and window frames are free of condensate	ال كنا.	u	
	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate	. 🗹 🗅		
6f.	Ensured the following areas are free from signs of leaks and water damage: Indoor areas near known roof or wall leaks		ت	
	Walls around leaky or broken windows		j L	
	Floors and ceilings under plumbing Duct interiors near humidifiers, cooling coils, and outdoor air intakes	.9⁄∕□	<u> </u>	
7.	COMBUSTION APPLIANCES	_		
7a.	Checked for odors from combustion appliances	. d		
	Checked appliances for backdrafting (using chemical smoke)			
	Inspected exhaust components for leaks, disconnections, or deterioration Inspected flue components for corrosion and soot			
8.	PEST CONTROL	/		
8a.	Completed the Integrated Pest Management Checklist	. 🖬 🗀		



- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "ycs," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Integrated Pest Management Checklist

Na	me: Artur Marques			
Scl	hool: <u>East Farms</u>			
Ro	om or Area: Date Completed: //- 6	- Z	0 2 9	4
Sis	gnature:			
٥١٤	γ.γ			_
_				
1.	OFFICIAL POLICY STATEMENT	Yes	No	N/A
la.	Developed or located the school's official policy statement for integrated pest management (IPM)	च	ū	۵
2.	DESIGNATING PEST MANAGEMENT ROLES			
2a.	Assigned and trained a qualified person to be the pest manager	🗖		$ \mathbf{A} $
2b.	Involved decision makers in the IPM program			
2c.	Educated students and staff (the occupants of the building) about IPM and asked them to keep their areas clean and free of clutter	🖫		П
2d.	Encouraged parents to learn about IPM practices and implement them	134	_	
	at home		<u> </u>	, L
	Developed a program to educate and train all IPM participants	🗖	2	Ļ
2f.	Included language about IPM into contracts with pest management professionals	🖫		ū
3.	SETTING PEST MANAGEMENT OBJECTIVES			
3a.				
	preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)	ω⁄	_	
3Ъ.			<i>-</i>	_
	providing safe playing areas and the best athletic surfaces possible)	I	\supset	
4.	INSPECTING, IDENTIFYING, AND MONITORING			
4a.	Inspected all buildings and grounds for pest evidence, entry points,	_/	_	_
41.	food, water, and harborage sites			
40. 4c.	Identified potential pest habitats in buildings and grounds Pinpointed the source of any current pest problems		ָ 	
	Monitored to determine the extent of pest problems and to estimate pest		_	
	populations	₽	<u> </u>	
	Developed plans to modify habitat (for example, exclusion, repair, and sanitation efforts) to prevent or resolve any pest problems	. 🗹		
4f.	Established a monitoring program that consists of routine inspections to estimate pest population levels and identify evidence of pests and		/	
	potential habitat	🗹		

5.	SETTING ACTION THRESHOLDS				
5a.	Evaluated all available data obtained through inspecting, identifying, and monitoring		No	N/A	
5b.	Determined how many pests the school buildings, grounds, and occupants can tolerate			_ , {1)	
5c.	Set action thresholds		1		
6.	PREVENTIVE STRATEGIES				
INI	DOOR SITES				
6a.	Implemented appropriate strategies to prevent pests from inhabiting the f	ollowin	e arc	eas:	
	• Entryways				
	• Classrooms		ū	ū	
	Gymnasiums		_ _	ā	_
	Locker rooms			- 🗹	
	• Offices			ā	
	Staff lounges		Æ	ō	
	Bathrooms		. 🗆		
	Food preparation and serving areas		٦	ō	
	• Rooms with extensive plumbing			ā	
	Maintenance areas		٥	_	
	• Other		<u> </u>		
ΔĦ	TDOOR SITES				
OD.	Implemented appropriate strategies to prevent pests from inhabiting the f			_/	-
	• Playgrounds		ū	3	_
	• Parking lots				-
	• Lawns and athletic fields			9	
	• Teaching gardens or greenhouses		<u></u>	<u> </u>	
	Loading docks Dumpet year			0	
	• Dumpsters				
	• Areas with ornamental shrubs and trees				
	Other	س علا			
7.	PESTICIDE USE AND STORAGE				
7a.	1 5	/	/		
	pesticides were necessary	🖭			
7b.	Ensured that pest management professionals integrate IPM into their pest management methods	🗹			
7c.	Identified the least toxic, target-specific chemical (or pesticide				
	formulation) that is the most effective to address the pest problem, preferably as baitsand granules	П		54	_
7d	Reviewed and followed all label instructions on pesticides and learned		_	-23	_
	how to properly apply and handle these chemicals	ப	U	54	
7e.	Used spot-treatment (or bait, crack, and crevice applications) to apply				
	pesticides whenever possible and only treated the obviously infested	/	•		
	plants in the area	☑ /			
	Used protective clothing or equipment when applying pesticides	🖫		Ü	
7g.	Placed all pesticides in tamper-resistant bait boxes or locations that are	_/	<i>-</i>		
	inaccessible to children and non-target species	🛂	Ü	u	



7. PESTICIDE USE AND STORAGE (cont.) 7h. Locked or fastened lids of all bait boxes and placed bait away from the Yes No N/A/ runway of the box Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters....... 7k. Ensured that parents are notified of upcoming pesticide applications through letters 71. Kept copies of current pesticide labels and information on pesticides easily accessible 🖭 7m. Stored pesticides off site or in areas that are locked and accessible only to designated personnel 7n. Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate the environment 70. Ensured that flammable liquids are stored away from ignition sources 7p. Ensured that pesticides are stored in their original containers and all lids are securely fastened 7q. Ensured that air in the storage space cannot mix with the air in the central ventilation system 8. EVALUATING RESULTS AND RECORD KEEPING 8a. Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept Sb. Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained 8c. Ensured that each log book contains the following items: Copy of the pest management plan ✓ \Box • Current EPA-registered labels - Current Material Safety Data Sheets (MSDS) for each pesticide project 🗹 📵 • Pest surveillance data sheets




- Read the IAQ
 Backgrounder and the Background information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Waste Management Checklist

Name Artur Marques
School: East FARMS
Room or Area: Date Completed: 11-6-2024
Signature:

1. WASTE MANAGEMENT Yes No N/A la. Ensured that waste containers are appropriate for use (for example, food waste containers should have lids) Ib. Ensured that waste containers are lined...... Ic. Ensured that waste from art, science, vocational classes, etc., are handled separately [d. Labeled recycling bins clearly ☑ □ le. Ensured number of bins and dumpsters is adequate..... If. Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds) lg. Ensured waste containers are emptied regularly 1h. Ensured appropriate waste removal schedule li. Ensured waste is stored in a well-ventilated room lj. Ensured any exhaust fans in the room are operating properly 1k. Checked waste storage areas for odors, contaminants, or signs of vermin



- Read the IAQ
 Backgrounder and the Background Information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 this checklist for
 each ventilation
 unit in your school,
 as well as a
 copy for future
 reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Ventilation Checklist

70 i

Name: Hetur Warque 3		
School: EAST FARMS		
Unit Ventilator/AHU No:		
Room or Area: Date Completed: 1/-6-	2024	
Signature:		
1. OUTDOOR AIR INTAKES	/	
la. Marked locations of all outdoor air intakes on a small floor plan (for example, a fire escape floor plan)	Yes∕No ⊻ □	N/A
Ensured that the ventilation system was on and operating in "occupied" mode		ב
ACTIVITY 1: OBSTRUCTIONS		
lc. Ensured that outdoor air intakes are clear of obstructions, debris, clogs,		
or covers	⁄ _ u	L
ld. Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake)	a o	٦
ACTIVITY 2: POLLUTANT SOURCES		
le. Checked ground-level intakes for pollutant sources (dumpsters, loading	_/_	_
docks, and bus-idling areas) 1f. Checked rooftop intakes for pollutant sources (plumbing vents; kitchen,	¥ □	J
toilet, or laboratory exhaust fans; puddles; and mist from	/	
air-conditioning cooling towers)	3 ⁄ 🗖	
intakes (e.g., relocated dumpster or extended exhaust pipe)	\$/ 🗅	٦
ACTIVITY 3: AIRFLOW	/	
1h. Obtained chemical smoke (or a small piece of tissue paper or light plastic) <u>च</u> /	_
Ii. Confirmed that outdoor air is entering the intake appropriately	J	
2. SYSTEM CLEANLINESS		
ACTIVITY 4: AIR FILTERS		
2a. Replaced filters per maintenance schedule	ച `□	
2b. Shut off ventilation system fans while replacing filters (prevents dirt from blowing downstream)	1 x / :	ل ا
2c. Vacuumed filter areas before installing new filters		ū
2d. Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter	1	
2c. Confirmed proper installation of filters (correct direction for airflow)	ਹ ਹ	

2. SYSTEM CLEANLINESS (continued)


AC'	TIVITY 5: DRAIN PANS		,	
2f.	Ensured that drain pans slant toward the drain (to prevent water from accumulating)			A\N L
2g.	Cleaned drain pans	च∕,	/ U	J
2h.	Checked drain pans for mold and mildew	☑		3
	TIVITY 6: COILS	/	,	
2i.	Ensured that heating and cooling coils are clean	☑		٦
	TIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS			
2j.	Ensured that the interior of air-handling unit(s) or unit ventilator (air-mixing chamber and fan blades) is clean	च	, 	Э
2k.	Ensured that ducts are clean	🗹	O	コ
AC	TIVITY 8: MECHANICAL ROOMS	/	,	
21.	Checked mechanical room for unsanitary conditions, leaks, and spills	ॼ॔		J
2m.	Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies	√		٦
3.	CONTROLS FOR OUTDOOR AIR SUPPLY		/	
3a.	Ensured that air dampers are at least partially open (minimum position)	ਤੁ		٦
3b.	Ensured that minimum position provides adequate outdoor air for occupants	ॼ॑	/ 	٦
AC	TIVITY 9: CONTROLS INFORMATION			
3c.	Obtained and reviewed all design inside/outside temperature and humidity		/	
	requirements, controls specifications, as-built mechanical drawings,	_/	_	_
	and controls operations manuals (often uniquely designed)	⊴	П	
	TIVITY 10: CLOCKS, TIMERS, SWITCHES	_/	/	_
	Turned summer-winter switches to the correct position		, 그	
	Set time clocks appropriately	الد	لر	
31.	Ensured that settings fit the actual schedule of building use (including night/weekend use)	⊒∕		ם
AC	TIVITY 11: CONTROL COMPONENTS			
3g.	Ensured appropriate system pressure by testing line pressure at both the occupied (day) setting and the unoccupied (night) setting	4	. 🗆	٦
3h	Checked that the line dryer prevents moisture buildup	<u>.</u>		
	Replaced control system filters at the compressor inlet based on the	🕰	_	_
	compressor manufacturer's recommendation (for example, when you blow down the tank)	:	, 	L
Зj.	Set the line pressure at each thermostat and damper actuator at the proper	,	/	
	level (no leakage or obstructions)	₹		J
AC	TIVITY 12: OUTDOOR AIR DAMPERS	/	,	
	Ensured that the outdoor air damper is visible for inspection	⊅	_ 🗆	
3l.	Ensured that the recirculating relief and/or exhaust dampers are visible for inspection	ॼ॔	/ 	ュ
3m	Ensured that air temperature in the indoor area(s) served by each	,	/	
	outdoor air damper is within the normal operating range	⊋∕		J



NOTE: It is necessary to ensure that the damper is operating properly and within the normal range to continue.

3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) **ACTIVITY 16: FANS** 3aa. Ensured that all fans (supply fans and associated return or relief fans) that move outside air indoors continuously operate during occupied Yes No N/A hours (even when room thermostat is satisfied)...... NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply. 4. AIR DISTRIBUTION ACTIVITY 17: AIR DISTRIBUTION 4a. Ensured that supply and return air pathways in the existing ventilation system perform as required...... \(\Delta\) 4b. Ensured that passive gravity relief ventilation systems and transfer grilles between rooms and corridors are functioning..... NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical system or operable windows) 4d. Ensured that supply and return vents are open and unblocked NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor 4f. Modified existing HVAC systems to incorporate any room or zone layout and population changes \(\Text{\tinx}\\ \text{\tinit}\\ \text{\texicl{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tin}\tint{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\text{\text{\text{\text{\texit{\texit{\texi}\text{\texititet{\text{\texi}\text{\text{\tiintert{\texicl{\tiint{\texit{\texic 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents 4h. Ensured that unit ventilators are quiet enough to accommodate classroom activities Ensured that classrooms are free of uncomfortable drafts produced by air ב from supply terminals **ACTIVITY 18: PRESSURIZATION IN BUILDINGS** NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including unv exhaust fans, is operating on the "occupied" cycle when doing this activity. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings) 5. EXHAUST SYSTEMS **ACTIVITY 19: EXHAUST FAN OPERATION** 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s) 🖬 If fans are running but air is not flowing toward the exhaust intake, check for the following: Inoperable dampers

- · Obstructed, leaky, or disconnected ductwork
- · Undersized or improperly installed fan
- · Broken fan belt





3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)			
3n.	Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler	Yes∕	No □	N/A
30.	Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on		ر م	ב
•	If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F	. <u>.</u>	u	د
	If in cooling mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F	n . a	ū	L
3r.	 If the outdoor air damper does not move, confirmed the following items: The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight	\\ \\\ \\\	``````````````````````````````````````	ם ט
	location, calibrated correctly)	. T		٦
AC	ceed to Activities 13–16 if the damper seems to be operating properly. TIVITY 13: FREEZE STATS Disconnected power to controls (for automatic reset only) to test continuity			
or.	across terminals	. . .		z
3t.	Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)	. 그	a	∀
3u.	Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats	. 🗆		3 /
clo.	TE: HVAC systems with water coils need protection from the cold. The freezesse the outdoor air damper and disconnect the supply air when tripped. The space is 35° F to 42° F.			
AC	TIVITY 14: MIXED AIR THERMOSTATS			
3v.	Ensured that the mixed air stat for heating mode is set no higher than 65°F	. z /		٦
3w.	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	. [/		ت
	TIVITY 15: ECONOMIZERS	,		
SX.	Confirmed proper economizer settings based on design specifications or local practices	. 🖬		J
	TE: The dry-hulh is typically set at 65°F or lower.	/		
	Checked that sensor on the economizer is shielded from direct sunlight Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications	/	0	ם
loa Dr and	OTE: Economizers use varying amounts of cool outdoor air to assist with the d of the room or rooms. There are two types of economizers, dry-bulb and envisually bushes vary the amount of outdoor air based on outdoor temper I enthalpy economizers vary the amount of outdoor air based on outdoor tend thumidity level.	cooli thalp ature	v.	



5. EXHAUST SYSTEMS (continued)

ACTIVITY 20: EXHAUST AIRFLOW

NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kitchens, and labs by keeping them under negative pressure (as compared to surrounding spaces).

and	labs by keeping them under negative pressure (as compared to surrounding	spac	es).	
5b.	Checked (using chemical smoke) that air is drawn into the room from adjacent spaces	Yes∕ ⊒	No □	N/A ⊐
the	id outside the room with the door slightly open while checking airflow high a door opening (see "How to Measure Airflow").			77
5c.	Ensured that air is flowing toward the exhaust intake	. ਹ⁄		٦
AC	TIVITY 21: EXHAUST DUCTWORK Checked that the exhaust ductwork downstream of the exhaust fan (which i under positive pressure) is sealed and in good condition			L
6.	QUANTITY OF OUTDOOR AIR			
AC	TIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATIO	NS		
NO	TE: Refer to "How to Measure Airflow" for techniques.			
	Measured the quantity of outdoor air supplied (22a) to each ventilation unit	a		3 /
OD.	Calculated the number of occupants served (22b) by the ventilation unit under consideration		u	1
ńс.	Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)	🖸	□	
AC	TIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITI	ES		
	Compared the existing outdoor air per person (22c) to the recommended levels in Table 1		u	J
6e.	Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet			

the recommended levels in Table 1



Health Officer/School Nurse Checklist


Name: Michaela Lubach, School Nurte
School: East Farms Elementary
Room or Area: Date Completed:
Signature: Mulmun ()

Instruction	nns

- 1. Read the IAQ Backgrounder and the Background Information for this checklist.
- 2. Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

1.	MAINTAINING STUDENT HEALTH	.,	•	
la	Completed health records for each student			N/A □
Ιb	Updated health records, as appropriate	. 🖳		
lc.	Obtained necessary information about student allergies and			_
ld.	Other health factors	. ♀		
	and time of symptom onset, and exposure to pollutant sources)	J	П	
e.	Monitored trends in health complaints (especially in timing or location			ч
f.	or complaints)	8		
١.	Investigated potential causes of health complaints (for example, school was renovated or refurnished recently; individual recently started working			
	with new or different materials or equipment; new practices or products			
	such as cleaners or pesticides, were introduced into the school)	3		
g. L	Ensured that the school prohibits smoking		1	
11. ì	Noted any new warm-blooded animals introduced into classrooms	o,		8
•	Reviewed and understood indicators of IAQ-related problems	3/		
l . •	HEALTH, IAQ, AND HYGIENE EDUCATION			
a.	Educated students and staff about the importance of good hygiene	50/	ם	
).	Arranged individual instruction/counseling where necessary	√	<u> </u>	0
•	Developed information and education programs for parents and staff	₩.		Ξ,
١.	Established an information and counseling program for smokers	П		vď,
	Provided literature on smoking and secondhand smoke			Q
• •	Educated school staff, students, and parents on the link between IAQ and health	_	v /	
		_	À	_
	HEALTH OFFICER'S OFFICE			
a.	Ensured the ventilation system operates properly and supplies adequate quantities of outdoor air (i.e., at least 25 cubic feet per minute of	,		
n.	outdoor air per occupant)	<u>a</u>		ū
:.	Ensured that air filters are clean and properly installed Ensured that air supply pathways are clear of any obstructions	ਤ	<u> </u>	
ì.	Determined that air removed from the health office is separated from the	3	J	
	ventilation system to avoid affecting other occupied aroun of the selection	/		_

a affecting other occupied areas of the school



Food Service Checklist

Name: Farmington Piblic Schools
School: EAS+ FARMS
Room or Area: Fuel Sive. Date Completed: 11 7 21
Signature: Sissesh West

Instructions

- Read the IAQ Backgrounder and the Background Information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAO Coordinator.

la.	Determined that local exhaust fans operate properly (note if fans are excessively noisy)	No □	N/A
l Ь.	Checked for odors near cooking, preparation, and eating areas		
lc.	Ensured that exhaust fans are used whenever cooking, washing dishes, and cleaning	۵	
ld.	Determined that gas appliances function properly		
le.	Verified that gas appliances are vented outdoors		<u> </u>
1 f.	Ensured there are no combustion gas or natural gas odors, leaks, backdrafting, or headaches when gas appliances are used		_
lg.	Ensured that kitchen is clean after use		
lh.	Checked for signs of microbiological growth in the kitchen, including the upper walls and ceiling (for example, mold, slime, and algae)		_
1 i.	Selected biocides registered by EPA (if required), followed the manufacturer's directions for use, and carefully reviewed the		3
13	method of application		Þ
1j.	Verified the kitchen is free of plumbing and ceiling leaks (signs include stains, discoloration, and damp areas)		
2.	FOOD HANDLING AND STORAGE		
	Checked food preparation, cooking, and storage areas for signs of insects and vermin (for example, feces or remains)		۵
2b.	Stored leftovers in well-sealed containers with no traces of food on outside surfaces		
	Ensured that food preparation, cooking, and storage practices are sanitary 🗹		
2d.	Disposed of food scraps properly and removed crumbs		
2e.	Cleaned counters with soap and water or a disinfectant (according to school policy)		
2f.	Swept and wet mopped floors		
3.	WASTE MANAGEMENT		
3a.	Selected and placed waste in appropriate containers		a
3b.	Ensured that containers' lids are securely closed		
Зc.	Separated food waste and food-contaminated items from other wastes, if possible	۵	ď
3d,	Stored waste containers in a well-ventilated area		a
	Ensured that dumpsters are properly located (away from air intake vents, operable windows, and food service doors in relation to		
	prevailing winds)		

4. DELIVERIES

4b.	Posted a sign prohibiting vehicles from idling their engines in		N/A
	receiving areas	E/A	m
4c.	Ensured that doors or air barriers are closed between receiving area and kitchen	_	_





- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Walkthrough Inspection Checklist

Name: Arter Marques NICOLE VIBERT

School: East Farms

Room or Area:

Signature: The Marques NICOLE VIBERT

Date Completed: 11-22-24

Signature: The Marques NICOLE VIBERT

A Date Completed: 11-22-24

Signature: The Marques NICOLE VIBERT

A Date Completed: 11-22-24

Signature: The Marques NICOLE VIBERT

A Date Completed: 11-22-24

Signature: The Marques NICOLE VIBERT

A Date Completed: 11-22-24

1.	GROUND LEVEL	w.		B 1 / 4
La.	Ensured that ventilation units operate properly	Yes I	1VIO	,
lb.	Ensured there are no obstructions blocking air intakes	<u>2</u> /	ה ה	
lc.	Checked for nests and droppings near outdoor air intakes	2		ב
۱d.	Determined that dumpsters are located away from doors, windows, and outdoor air intakes		_ 	
le.	Checked potential sources of air contaminants near the building (chimneys, stacks, industrial plants, exhaust from nearby buildings)		 1	
H.	Ensured that vehicles avoid idling near outdoor air intakes			
lg.	Minimized pesticide application	<u>5</u> /	0	
1h.	Ensured that there is proper drainage away from the building (including roof downspouts)	_	_ 	_
l i.	Ensured that sprinklers spray away from the building and outdoor air intakes	,	Li	
Ιj,	Ensured that walk-off mats are used at exterior entrances and that	,	, –	_
	they are cleaned regularly	घ∕		コ
2.	ROOF			
IIh	ile on the roof, consider inspecting the HVAC units tuse the Ventilation Che	cklist).		
2a.	Ensured that the roof is in good condition	_/	ر ا	J
2b.	Checked for evidence of water ponding	⊌/		ن
2c.	Checked that ventilation units operate properly (air flows in)	ॼ॔	\Box	\supset
2d.	Ensured that exhaust fans operate properly (air flows out)	ॼ॔ ,		⊐
2¢.	Ensured that air intakes remain open, even at minimum setting	ॼऺ <i>॔</i>	'	
2f.	Checked for nests and droppings near outdoor air intakes	⊴∕	Ü	ت
2g.	Ensured that air from plumbing stacks and exhaust outlets flows away from outdoor air intakes	🗹	, □	۵
3.	ATTIC	,	/	
3a. 3b.	Checked for evidence of roof and plumbing leaks Checked for birds and animal nests	य य	Ü	LU
4.	GENERAL CONSIDERATIONS			
4a.	Ensured that temperature and humidity are maintained within acceptable ranges	. Z.		D.
4b.	Ensured that no obstructions exist in supply and exhaust vents	<u>.</u>	<u> </u>	7
4c.	Checked for odors	🗹		
4 d .	Checked for signs of mold and mildew growth	ゑ	_	ū

4.	GENERAL CONSIDERATIONS (continued)	Voa	Ma	N/A
₽c.	Checked for signs of water damage	7	. T	NI/A
∔t.	Checked for evidence of pests and obvious food sources	च⁄ .	,	
∔ g.	Noted and reviewed all concerns from school occupants	ॼ॔	ū	ā
5.	BATHROOMS AND GENERAL PLUMBING		_	
5a. 5b.	Ensured that bathrooms and restrooms have operating exhaust fans	,		J
	Water is poured down floor drains once per week (approx. I quart of water	<i>ر</i> ک(· 🗇	١
	Water is poured into sinks at least once per week (about 2 cups of water)	ر کے۔	Ü	L
	Toilets are flushed at least once per week	🗹	П	1
6.	MAINTENANCE SUPPLIES			
6а,	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied	√	7	٦
6b.	Ensured that vents in chemical and trash storage areas are operating properly	,		L
6¢.	Ensured that portable fuel containers are properly closed		⊐	
6 d .	Ensured that power equipment, like snowblowers and lawn mowers, have been serviced and maintained according to manufacturers' guidelines	_		ت
7.	COMBUSTION APPLIANCES		/	
7a.	Checked for combustion gas and fuel odors	1	ָ ניז	,
76.	Ensured that combustion appliances have flues or exhaust hoods	. <u>-</u> /	/ <u>-</u>	
7c.	Checked for leaks, disconnections, and deterioration	<u> </u>		7
7đ.	Ensured there is no soot on inside or outside of flue components	. 🗹		<u> </u>
8.	OTHER			
Sa.	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)	J/	/ 1	ı
8b.	Determined date of last radon test	.⊒∕	2	ב



NOTES

Radon Testing was Done in 2021 It is Done every five years.