#### NOAH WALLACE TEACHER CHECKLIST RESPONSES

| , kuth  | d de la | ROOM'S DISTORY | 5 Teens | Selection of Economic Selection of Second | Etree de Letret       | and and and a state of the stat | ter deeling lies at | the fire flowers by the bring street | Lights different | de lette en ander | Selfered to the thorn of | and the state of t | The the trade of the state of t | entered the state of the state | , all |
|---|---|----------------|---------|---|-----------------------|--|---------------------|--------------------------------------|--|---|--------------------------|--|--|---|-------|
| 61  | Yes   | Yes            | Yes     | Yes                                       | Yes                   | Yes  | Yes                 | Yes                                  | Yes  | Yes   | Yes                      | Yes  | Yes  |   |       |
| 58,<br>Intervention<br>suite  | No  | Yes            | No      | No  | Yes                   | Yes  | No                  | Yes                                  | Yes  | Yes   | Yes                      | Yes  | Na   |   |       |
| Nurse's office  | No  | Yes            | Yes     | Yes                                       | Yes                   | Yes  | Yes                 | Yes                                  | Yes  |   | Yes                      |  | Yes  |   |       |
| Noah Wallace<br>Basement-To<br>the left of the<br>art room            | No  | No             | Yes     | Yes                                       | Not<br>Applicab<br>le | Yes  | Yes                 | No                                   | Yes  | Yes   | No                       | Yes  | Yes  |   |       |
| 50 second<br>grade<br>classroom                                       | Yes   | Yes            | Yes     | Yes                                       | Yes                   | Yes  | Yes                 | No                                   | Yes  | Yes   | Yes                      | Yes  | Yes  |   |       |
| ELL tutor room  | Yes   | Yes            | Y≘s     | Yeş                                       | Yes                   | Yes  | Yes                 | Yes                                  | Yes  | Yes   | Yes                      | Yes  | Yes  |   |       |
| Math<br>Intervention<br>Room (old 2nd<br>floor<br>conference<br>room) | Yes   | Yes            | No      | Yes                                       | Yes                   | Yes  | ∀es                 | Yes                                  | Yes  | Yes   | Yes                      | Yes  | Yes  |   |       |
| Intervention<br>Suite Rm 57   | Yes   | Yes            | Ne      | Yes                                       | Yes                   | Yes  | Other               | No                                   | Yes  | Yes   | Yes                      | Yes  | Yes  |   |       |
| Maker Space   | No  | Yes            | Yes     | Yes                                       | Not<br>Applicab<br>le | Yes  | ves                 | No                                   | Yes  | Yes   | Yes                      | Yes  | No   |   |       |
| <b>4</b> ō  | Yes   | Yes            | Yes     | Yes                                       | re<br>Yes             | Yes  | Yes                 | Yes                                  | Yes  | Yes   | Yes                      |  | Yes  |   |       |
| Library   |   | Yes            | Yes     | Yes                                       | Not<br>Applicab<br>1e | Yes  | ∨es                 |                                      | Yes  | Yes   | Yes                      |  | Yes  |   |       |
| 22  | No  | Yes            | Yes     | Yes                                       | Yes                   | Yes  | Other               | Yes                                  | Yes  | Yes   | Yes                      | Yes  | Yes  |   |       |
| 31  | Yes   | Yes            | Yes     | Yes                                       | Not<br>Applicab<br>le | Yes  | No                  | No                                   | Yes  | Yes   | No                       | Yes  | Yes  |   |       |
| 52  | Yes   | Yes            | Yes     | Yes                                       | Yes                   | Yes  | Yes                 | Yes                                  | Yes  | Yes   | Yes                      | Yes  | Yes  |   |       |
| Literacy Suite<br>(Former Main<br>Office) 57?                         | No  | Yes            | Yes     | Yes                                       | Not<br>Applicab<br>le | Yes  | Other               | Yes                                  | Not<br>Applicab<br>le  | Yes   | No                       | Yes  | Yes  |   |       |



- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response requires
     further attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

# **Building and Grounds Maintenance Checklist**

| Na      | me: Van Szymanski   |          |        |          |
|---------|---|----------|--------|----------|
|         | nool: Noah Wallace Elementary   |          |        | _ !      |
| Ro      | om or Area: Date Completed:   | 124      |        | - :      |
| Sig     | nature: De La C   |          |        |          |
| <u></u> |   |          |        |          |
|         |   |          |        |          |
| 1.      | BUILDING MAINTENANCE SUPPLIES   | Yes      | No     | NIZ      |
| la.     | Developed appropriate procedures and stocked supplies for spill control   |          | ä      |          |
|         | Reviewed supply labels  | ,        | ū      |          |
| le.     | Ensured that air from chemical and trash storage areas vents to   |          | /      |          |
|         | the outdoors  | <b>u</b> | অ      |          |
| ld.     | Stored chemical products and supplies in sealed, clearly labeled  | M        | П      | _        |
| 1.0     | Containers  | ···· —   |        | 0<br>0   |
| lf.     | <del>-</del>  | 80       |        | u        |
|         | instructions  | ช        | L      | u        |
| lg.     | Ensured that chemicals, chemical-containing wastes, and containers are  | /        |        |          |
| _       | disposed of according to manufacturers' instructions  | ॼ॔,      |        | О        |
| lh.     | Substituted less- or non-hazardous materials (where possible)   | ড∕       |        |          |
| li.     | Scheduled work involving odorous or hazardous chemicals for periods   | 4        | П      |          |
| 1.      | when the school is unoccupied   | <b>y</b> | П      |          |
| lj.     | Ventilated affected areas during and after the use of odorous or hazardous chemicals  | - K      | $\Box$ |          |
|         | nazardous cricinicais   |          | _      | ٦        |
| 2.      | GROUNDS MAINTENANCE SUPPLIES  |          |        |          |
|         |   | ₼        | _      | _        |
|         | Stored grounds maintenance supplies in appropriate area(s)  | <u>v</u> | u      |          |
| ∠D.     | Ensured that supplies are used and stored according to manufacturers' instructions  |          | П      |          |
| 2c      | Established and followed procedures to minimize exposure to fumes   | <b>_</b> | _      | _        |
|         | from supplies   | ⊠        | а      |          |
| 2d.     | Reviewed and followed manufacturers' guidelines for maintenance   | 🗹,       | ū      |          |
| 2e.     | Replaced portable gas cans with low-emission cans   | र्ग      |        |          |
| 2f.     | Stored chemical products and supplies in sealed, clearly-labeled  | /        |        |          |
| _       | containers  | ਓ        |        | Ξ        |
| 2g.     | Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions | a/       | D      | г        |
|         | asposed of according to manufacturers. Instructions   | w        |        | <i>-</i> |
| 3.      | DUST CONTROL  |          |        |          |
|         | Installed and maintained harrier mats for entrances   | :s/      | /<br>  | Г        |
| Ju.     |   |          |        |          |

3b. Used high efficiency vacuum bags ......

| 4.  | FLOOR CLEANING   | •        | Nο  | N/A      |
|-----|--|----------|-----|----------|
| 4b. | Established and followed schedule for vacuuming and mopping floors Since Cleaned spills on floors promptly (as necessary)                    | (        | ココ  | 0 0      |
| 5.  | DRAIN TRAPS  |          |     |          |
| зb. | Poured water down floor drains once per week (about 1 quart of water) Some Ran water in sinks at least once per week (about 2 cups of water) | (        |     | 0        |
| 6.  | MOISTURE, LEAKS, AND SPILLS  |          |     |          |
|     | ,  | 1        |     |          |
| 66. | Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)  | {        | ۵   | ۵        |
|     |  | <b>{</b> | □   | Q        |
| 6d. | Checked that windows, windowsills, and window frames are free of condensate  | {        | Q   |          |
| 6e. | Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate   | {        |     |          |
| 6f. | Ensured the following areas are free from signs of leaks and water damage:  Indoor areas near known roof or wall leaks                       | 4        |     | а        |
|     | Walls around leaky or broken windows   | -,       | _   | ū        |
|     | Floors and ceilings under plumbing   | 1/       |     | _<br>    |
|     | •  | 1        | ч   | J        |
| 7.  | COMBUSTION APPLIANCES  | _        |     |          |
|     | Checked for odors from combustion appliances   |          |     | ٥        |
|     | Checked appliances for backdrafting (using chemical smoke)   |          |     | <b>a</b> |
|     | Inspected exhaust components for leaks, disconnections, or deterioration S  Inspected flue components for corrosion and soot                 |          | . 🗆 | <u> </u> |
| 8.  | PEST CONTROL   |          |     |          |
| 8a. | Completed the Integrated Pest Management Checklist   | 4        | ۵   | ū        |



- 1. Read the IAQ
  Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# **Integrated Pest Management Checklist**

| Nan  | ne: Dan Szymanski   |             |       |        |
|------|---|-------------|-------|--------|
| Sch  | ool: Noah Wallace Elementary  |             |       | _      |
|      | om or Area: Date Completed:   | <i>]</i>    | L/    |        |
| Sig  | nature: Don System  | <del></del> |       |        |
|      |   |             |       | :      |
| 1. ( | OFFICIAL POLICY STATEMENT   | Yes         | No    | N/A    |
|      | Developed or located the school's official policy statement for integrated  | ,           |       |        |
|      | pest management (IPM)   | <b>\d</b>   | а     | u      |
| 2. 1 | DESIGNATING PEST MANAGEMENT ROLES   |             |       |        |
|      | Assigned and trained a qualified person to be the pest manager  | f           |       |        |
|      | Involved decision makers in the IPM program  Educated students and staff (the occupants of the building) about IPM                          | ☑           | _ Q   |        |
|      | and asked them to keep their areas clean and free of clutter  | <b>A</b>    | a     |        |
|      | Encouraged parents to learn about IPM practices and implement them  | 54/         | ,<br> |        |
|      | at home  Developed a program to educate and train all IPM participants  |             |       | J<br>( |
| lf.  | Included language about IPM into contracts with pest management professionals   | <b>\d</b>   | ۵     |        |
| 3. : | SETTING PEST MANAGEMENT OBJECTIVES  |             |       |        |
|      | Set appropriate pest management objectives for school buildings (such as  |             |       |        |
|      | preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)               | M           | П     | Г      |
|      | Set appropriate pest management objectives for school grounds (such as  | /           | ′ _   |        |
|      | providing safe playing areas and the best athletic surfaces possible)   | ☑           |       |        |
| 4.   | INSPECTING, IDENTIFYING, AND MONITORING   |             |       |        |
| 4a.  | Inspected all buildings and grounds for pest evidence, entry points,  | 4           | _     | _      |
| 4b   | food, water, and harborage sites  |             | ٥     |        |
|      | Pinpointed the source of any current pest problems  |             | ū     |        |
| 4d.  | Monitored to determine the extent of pest problems and to estimate pest   | 1           | ,     | С      |
| 4e.  | Developed plans to modify habitat (for example, exclusion, repair, and  | ©<br>       | u     | ·      |
|      | sanitation efforts) to prevent or resolve any pest problems   | <b>હ</b>    |       |        |
| 4f.  | Established a monitoring program that consists of routine inspections to estimate pest population levels and identify evidence of pests and |             |       |        |
|      | potential habitat   | ₹           |       |        |

| 5. SETTING ACTION THRESHOLDS  |            |            |          |
|---|------------|------------|----------|
| 5a. Evaluated all available data obtained through inspecting, identified and monitoring   |            |            | N/A<br>□ |
| 5b. Determined how many pests the school buildings, grounds, and  | l,         |            | _        |
| occupants can tolerate  |            | _          | 0        |
| Sc. Set action thresholds   | ੁਰ         |            |          |
| 6. PREVENTIVE STRATEGIES  |            |            |          |
| INDOOR SITES  |            |            |          |
| 6a. Implemented appropriate strategies to prevent pests from inhab  |            |            | eas:     |
| • Entryways   |            |            |          |
| - Classrooms  |            | _          |          |
| Gymnasiums  |            |            |          |
| • Locker rooms  |            |            | <u> </u> |
| • Offices   |            | ,          |          |
| Staff lounges   | _          |            |          |
| • Bathrooms   | ······ — . | _          |          |
| Food preparation and serving areas  |            | _          |          |
| Rooms with extensive plumbing   |            | ä          | <u> </u> |
| Maintenance areas   |            | <u> </u>   | 0        |
| Other   |            |            |          |
| OUTDOOR SITES   |            |            |          |
| 6b. Implemented appropriate strategies to prevent pests from inhab  |            |            | eas:     |
| Playgrounds   |            |            |          |
| Parking lots  |            |            |          |
| Lawns and athletic fields   |            | •          | ū        |
| Teaching gardens or greenhouses   | ⊡          | , 🗆        | $\Box$   |
| Loading docks   |            |            |          |
| • Dumpsters   |            |            | O        |
| Areas with ornamental shrubs and trees  | 4          | , –        | O        |
| • Other   | ∃          |            |          |
| 7. PESTICIDE USE AND STORAGE  |            |            |          |
| 7a. Explored alternative pest management methods before conclud   |            | ,          |          |
| pesticides were necessary   |            |            |          |
| 7b. Ensured that pest management professionals integrate IPM into pest management methods   | o their    | /<br>, o   |          |
| 7c. Identified the least toxic, target-specific chemical (or pesticide  |            |            |          |
| formulation) that is the most effective to address the pest probl   | lem,       | <b>,</b> _ |          |
| preferably as baitsand granules   |            | G.         | a        |
| 7d. Reviewed and followed all label instructions on pesticides and  |            | _          | _/       |
| how to properly apply and handle these chemicals  |            | u          | 7        |
| 7e. Used spot-treatment (or bait, crack, and crevice applications) to<br>pesticides whenever possible and only treated the obviously in |            |            |          |
| plants in the area  |            | ū          | <b>9</b> |
| 7f. Used protective clothing or equipment when applying pesticide   |            | ā          | <u> </u> |
| 7g. Placed all pesticides in tamper-resistant bait boxes or locations   |            |            | _        |
| inaccessible to children and non-target species   | <b>a</b>   |            |          |





## 7. PESTICIDE USE AND STORAGE (cont.)

| 7h. | Locked or fastened lids of all bait boxes and placed bait away from the runway of the box   | Yes<br>□ | No<br>□ | N/ <i>I</i><br>☑ |
|-----|---|----------|---------|------------------|
| 7i. | Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals   | <b>d</b> |         |                  |
| 7j. | Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters                        | <b>a</b> |         | ū                |
|     | Ensured that parents are notified of upcoming pesticide applications through letters  | <b>d</b> |         | а                |
|     | Kept copies of current pesticide labels and information on pesticides easily accessible   | 🗹        | ū       |                  |
| 7m. | Stored pesticides off site or in areas that are locked and accessible only to designated personnel  | 🗆        | ū       | ₫                |
| 7n. | Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate the environment | ロ.       | a       | <b>d</b>         |
| 70. | Ensured that flammable liquids are stored away from ignition sources  | 🗹        | u       |                  |
|     | Ensured that pesticides are stored in their original containers and all lids are securely fastened  | ਈ        | <u></u> |                  |
| 7q. | Ensured that air in the storage space cannot mix with the air in the central ventilation system   | 🗹        | J       |                  |
| 8.  | EVALUATING RESULTS AND RECORD KEEPING   |          |         |                  |
| 8a. | Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept   | ⊀        | _       |                  |
| 8b. | Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained   |          |         |                  |
| 8c. | Ensured that each log book contains the following items:  |          |         |                  |
|     | Copy of the pest management plan  | … র্ব    |         |                  |
|     | Service schedules for maintenance of buildings and grounds  | ॼ॔॔,     |         |                  |
|     | Current EPA-registered labels   | ੴ,       | - 0     |                  |
|     | • Current Material Safety Data Sheets (MSDS) for each pesticide project.  | ⊈,       | a.      |                  |
|     | Pest surveillance data sheets   |          |         | , [              |
|     | • Diagram noting the location of pest activity, traps, and bait stations  | □        | ਬੁ      |                  |



- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

# **Waste Management Checklist**

| Name: Dan 52 ymanski   |                         |
|------------------------|-------------------------|
| School: Noah Wallace E | leventary               |
|                        | Date Completed: 11/8/24 |
| Signature:             |                         |
|                        |                         |

| 1.  | WASTE MANAGEMENT   | ۷۵۶          | Nο               | N/A       |
|-----|--|--------------|------------------|-----------|
| 1a. | Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)                          | . <b>W</b> . |                  | 0         |
| Ib. | Ensured that waste containers are lined  | .ॼ॔          |                  |           |
| lc. | Ensured that waste from art, science, vocational classes, etc., are handled separately   | بر⊡.         | а                | 4         |
| ld. | Labeled recycling bins clearly   | .∄,          | $\boldsymbol{G}$ |           |
|     | Ensured number of bins and dumpsters is adequate   |              | ā                |           |
| lf. | Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds) | . J          | ۵                | ٥         |
| 1g. | Ensured waste containers are emptied regularly   |              |                  |           |
|     | Ensured appropriate waste removal schedule   |              | ū                |           |
| li. | Ensured waste is stored in a well-ventilated room  | ⊐,           |                  | 3         |
|     | Ensured any exhaust fans in the room are operating properly  |              |                  | $\supset$ |
|     | Checked waste storage areas for odors, contaminants, or signs of vermin  |              | Q                | コ         |
|     |  |              |                  |           |



- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  this checklist for
  each ventilation
  unit in your school,
  as well as a
  copy for future
  reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.


# **Ventilation Checklist**

| Name: Dan Trymans El   |          | _        |
|--|----------|----------|
| School: Noah Wallace Elementer   |          | _        |
| Unit Ventilator/AHU No:  |          | _        |
| Room or Area: Date Completed:  | e        | _        |
|  |          |          |
| 1. OUTDOOR AIR INTAKES   |          |          |
| la. Marked locations of all outdoor air intakes on a small floor plan (for example, a fire escape floor plan)                          | No.<br>☑ | N/A<br>□ |
| lb. Ensured that the ventilation system was on and operating in "occupied" mode  | ۵        | ت        |
| ACTIVITY 1: OBSTRUCTIONS   |          |          |
| lc. Ensured that outdoor air intakes are clear of obstructions, debris, clogs, or covers   | ۵        | ٥        |
| ld. Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake)                               |          | <b>3</b> |
| ACTIVITY 2: POLLUTANT SOURCES  |          |          |
| le. Checked ground-level intakes for pollutant sources (dumpsters, loading docks, and bus-idling areas)                                | п        | 7        |
| lf. Checked rooftop intakes for pollutant sources (plumbing vents; kitchen, toilet, or laboratory exhaust fans; puddles; and mist from | _        | _        |
| air-conditioning cooling towers)   |          |          |
| ig. Resolved any problems with pollutant sources located near outdoor air intakes (e.g., relocated dumpster or extended exhaust pipe)  |          | ū        |
| ACTIVITY 3: AIRFLOW  |          |          |
| 1h. Obtained chemical smoke (or a small piece of tissue paper or light plastic). If  |          |          |
| Ii. Confirmed that outdoor air is entering the intake appropriately  |          | ٥        |
| 2. SYSTEM CLEANLINESS  |          |          |
| ACTIVITY 4: AIR FILTERS  |          |          |
| 2a. Replaced filters per maintenance schedule  |          | а        |
| 2b. Shut off ventilation system fans while replacing filters (prevents dirt from blowing downstream)                                   |          | [-]      |
| 2c. Vacuumed filter areas before installing new filters  | ū        | ٥        |
| 2d. Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter                                      |          | o.       |
| 2e. Confirmed proper installation of filters (correct direction for airflow)   |          | Э        |

## 2. SYSTEM CLEANLINESS (continued) **ACTIVITY 5: DRAIN PANS** Yes No N/A 2f. Ensured that drain pans slant toward the drain (to prevent water from Ū. 2h. Checked drain pans for mold and mildew ...... ACTIVITY 6: COILS 2i. Ensured that heating and cooling coils are clean ...... **ACTIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS** Ensured that the interior of air-handling unit(s) or unit ventilator 2k. Ensured that ducts are clean ..... **ACTIVITY 8: MECHANICAL ROOMS** 21. Checked mechanical room for unsanitary conditions, leaks, and spills ........ 💆 🗔 2m. Ensured that mechanical rooms and air-mixing chambers are free of trash, 3. CONTROLS FOR OUTDOOR AIR SUPPLY 3a. Ensured that air dampers are at least partially open (minimum position) ...... 🗹 3b. Ensured that minimum position provides adequate outdoor air **ACTIVITY 9: CONTROLS INFORMATION** 3c. Obtained and reviewed all design inside/outside temperature and humidity requirements, controls specifications, as-built mechanical drawings, **ACTIVITY 10: CLOCKS, TIMERS, SWITCHES** 3e. Set time clocks appropriately ...... 🗹 🗅 3f. Ensured that settings fit the actual schedule of building use (including ACTIVITY 11: CONTROL COMPONENTS 3g. Ensured appropriate system pressure by testing line pressure at both the 3i. Replaced control system filters at the compressor inlet based on the compressor manufacturer's recommendation (for example, when you 3j. Set the line pressure at each thermostat and damper actuator at the proper level (no leakage or obstructions) **ACTIVITY 12: OUTDOOR AIR DAMPERS** 31. Ensured that the recirculating relief and/or exhaust dampers are visible for inspection ...... 🖞 🛘 3m. Ensured that air temperature in the indoor area(s) served by each



NOTE: It is necessary to ensure that the damper is operating properly and within the normal range to continue.



| 3.              | CONTROLS FOR OUTDOOR AIR SUPPLY (continued)   |                |            |          |
|-----------------|---|----------------|------------|----------|
| 3n.             | Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler   |                | No         | N/A      |
| 30.             | Checked that the outdoor air damper opens (at least partially with no delay when the air handler is turned on   | ) [            |            | J        |
| -               | If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F   | 🗀              | ۵          | 4        |
|                 | If in cooling mode, checked that the outdoor air damper goes to its minimu position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F  |                | ۵          | <b>d</b> |
| 31.             | If the outdoor air damper does not move, confirmed the following items:  • The damper actuator links to the damper shaft, and any linkage set   | 0              | ۵          | ص/       |
|                 | Screws or bolts are tight      Moving parts are free of impediments (e.g., rust, corrosion)   |                | J          | 4        |
|                 | Electrical wire or pneumatic tubing connects to the damper actuator   |                | ٥          | ਕ<br>ਕ   |
|                 | The outside air thermostat(s) is functioning properly (e.g., in the right location, calibrated correctly)   |                | _          | _<br>/   |
| Pro             | ceed to Activities 13-16 if the damper seems to be operating properly.  |                |            |          |
| AC              | TIVITY 13: FREEZE STATS   |                |            |          |
| 3s.             | Disconnected power to controls (for automatic reset only) to test continuity across terminals   |                | О          | 4        |
| OR              |   |                |            |          |
| 3t.             | Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)  | 9              |            | ص\<br>ا  |
| 3u.             | Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats   |                | _          | <b>≖</b> |
| clo             | TE: HVAC systems with water coils need protection from the cold. The freezes se the outdoor air damper and disconnect the supply air when tripped. The tyge is 35°F to 42°F.  |                |            |          |
| AC              | CTIVITY 14: MIXED AIR THERMOSTATS   |                |            |          |
| 3 v.            | Ensured that the mixed air stat for heating mode is set no higher than 65°F   | ם              |            | ď        |
| 3w              | Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting   | 🗅              |            | ₹/       |
|                 |   |                |            |          |
|                 | CTIVITY 15: ECONOMIZERS   |                |            |          |
| 3x.             | Confirmed proper economizer settings based on design specifications or local practices  |                | ۵          | ą        |
| NC              | OTE: The dry-bulb is typically set at 65°F or lower.  |                |            |          |
| 3 y.            | Checked that sensor on the economizer is shielded from direct sunlight  | 🗖              |            | ⊒(       |
|                 | Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications  |                | ۵          | ⊻′       |
| loc<br>Dr<br>an | OTE: Economizers use varying amounts of cool outdoor air to assist with third of the room or rooms. There are two types of economizers, dry-bulb and exy-bulb economizers vary the amount of outdoor air based on outdoor temps denthalpy economizers vary the amount of outdoor air based on outdoor ted humidity level. | nthai<br>ratur | lpy.<br>e, | ;        |

## 3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) **ACTIVITY 16: FANS** 3aa. Ensured that all fans (supply fans and associated return or relief fans) that move outside air indoors continuously operate during occupied hours (even when room thermostat is satisfied)..... NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply. 4. AIR DISTRIBUTION ACTIVITY 17: AIR DISTRIBUTION 4a. Ensured that supply and return air pathways in the existing ventilation system 4b. Ensured that passive gravity relief ventilation systems and transfer grilles between rooms and corridors are functioning ...... NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical system or operable windows) 4d. Ensured that supply and return vents are open and unblocked ...... NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor air supply ........ 4f. Modified existing HVAC systems to incorporate any room or zone layout and population changes 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of 4h. Ensured that unit ventilators are quiet enough to accommodate classroom activities ..... 4i. Ensured that classrooms are free of uncomfortable drafts produced by air ACTIVITY 18: PRESSURIZATION IN BUILDINGS NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity. 4j. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, 5. EXHAUST SYSTEMS **ACTIVITY 19: EXHAUST FAN OPERATION** 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s) ..... \(\frac{1}{2}\) If fans are running but air is not flowing toward the exhaust intake, check for the following: · Inoperable dampers · Obstructed, leaky, or disconnected ductwork · Undersized or improperly installed fan

· Broken fan belt





#### 5. EXHAUST SYSTEMS (continued)

#### **ACTIVITY 20: EXHAUST AIRFLOW**

NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kitchens, and labs by keeping them under negative pressure (as compared to surrounding spaces). 5b. Checked (using chemical smoke) that air is drawn into the room from Yes No N/A Stand outside the room with the door slightly open while checking airflow high and low in the door opening (see "How to Measure Airflow"). **ACTIVITY 21: EXHAUST DUCTWORK** 5d. Checked that the exhaust ductwork downstream of the exhaust fan (which is 6. QUANTITY OF OUTDOOR AIR ACTIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATIONS NOTE: Refer to "How to Measure Airflow" for techniques. 6a. Measured the quantity of outdoor air supplied (22a) to each ventilation unit ...... 6b. Calculated the number of occupants served (22b) by the ventilation unit under consideration 6c. Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c) ....... ACTIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITIES 6d. Compared the existing outdoor air per person (22c) to the recommended levels in Table ! ..... be. Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet

the recommended levels in Table 1......




- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# **Health Officer/School Nurse Checklist**

| Name: Lassia MDUs     | 5,5                     |
|-----------------------|-------------------------|
| School: Noch Wallace  | Schol                   |
| Room or Area: NUISO'S | Date Completed: 12/2/34 |
| Signature:            |                         |

| 1.                | MAINTAINING STUDENT HEALTH   | Vale     | No       | N/A        |
|-------------------|--|----------|----------|------------|
| la.               |  | 7.       | ū        |            |
|                   | Updated health records, as appropriate   | <b>a</b> | ۵        |            |
|                   | Obtained necessary information about student allergies and other health factors  | ď        |          |            |
|                   | Developed a system to log health complaints (note symptoms, location and time of symptom onset, and exposure to pollutant sources)   | ପ        |          |            |
| le.               | Monitored trends in health complaints (especially in timing or location of complaints)   | ত্র      |          | . 🗖        |
|                   | Investigated potential causes of health complaints (for example, school was renovated or refurnished recently; individual recently started working with new or different materials or equipment; new practices or products, such as cleaners or pesticides, were introduced into the school) | رٍ ت     |          | 0          |
| 11.               | Reviewed and understood indicators of IAQ-related problems   |          |          | 0          |
| 2.                | HEALTH, IAQ, AND HYGIENE EDUCATION   |          |          |            |
| 2b.<br>2c.<br>2d. | Educated students and staff about the importance of good hygiene   |          |          |            |
|                   | and health   | Q        |          |            |
| 3.                | HEALTH OFFICER'S OFFICE  |          |          |            |
| 3a.               | Ensured the ventilation system operates properly and supplies adequate quantities of outdoor air (i.e., at least 25 cubic feet per minute of outdoor air per occupant)   |          | <u> </u> | <b>u</b> / |
|                   | Ensured that air filters are clean and properly installed  | _        |          | <b>□</b> ✓ |
|                   | Ensured that air supply pathways are clear of any obstructions   | Ø        |          |            |
| 3d.               | Determined that air removed from the health office is separated from the ventilation system to avoid affecting other occupied areas of the school  | ۵        |          | Ø          |



# **Food Service Checklist**

| Name: Fermington Public Schools                 |
|---|
| School: Och hickory                             |
| Room or Area: File Sence Date Completed: 117 21 |
| Signature: Desch Walch                          |
|   |

## Instructions

- Read the IAQ
   Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.


| 1. COOKING AR | ĽΕΑ |
|---------------|-----|
|---------------|-----|

| la. | Determined that local exhaust fans operate properly (note if fans are excessively noisy)   | ٦        | No       | N/A      |
|-----|--|----------|----------|----------|
| 1b. | Checked for odors near cooking, preparation, and eating areas  | ı        | ä        | ū        |
| lc. | Ensured that exhaust fans are used whenever cooking, washing dishes, and cleaning  |          |          |          |
| 1d. | Determined that gas appliances function properly   | /        | ā        | ā        |
| 1e. | Verified that gas appliances are vented outdoors   | 1        |          | <u> </u> |
| lf. | Ensured there are no combustion gas or natural gas odors, leaks, backdrafting, or headaches when gas appliances are used                           |          |          |          |
| lg. | Ensured that kitchen is clean after use  |          |          |          |
|     | Checked for signs of microbiological growth in the kitchen, including the upper walls and ceiling (for example, mold, slime, and algae)            |          |          | _        |
| Ii. | Selected biocides registered by EPA (if required), followed the manufacturer's directions for use, and carefully reviewed the                      |          |          | .,       |
|     | method of application  | ,        |          | <u>ଏ</u> |
| 1j. | Verified the kitchen is free of plumbing and ceiling leaks (signs include stains, discoloration, and damp areas)                                   | /        | ٦        |          |
| 2.  | FOOD HANDLING AND STORAGE  |          |          |          |
| 2a. | Checked food preparation, cooking, and storage areas for signs of insects and vermin (for example, feces or remains)                               | <b>(</b> |          | П        |
| 2b. | Stored leftovers in well-sealed containers with no traces of food on outside surfaces  | ,        |          | ۵        |
| 2c. | Ensured that food preparation, cooking, and storage practices are sanitary.  | 1        |          |          |
| 2d. | Disposed of food scraps properly and removed crumbs  | /        |          |          |
| 2e. | Cleaned counters with soap and water or a disinfectant (according to school policy)  |          |          | ۵        |
| 2f. |  |          |          |          |
| 3.  | WASTE MANAGEMENT   |          |          |          |
| Зa. | Selected and placed waste in appropriate containers  | 1        |          |          |
|     | Ensured that containers' lids are securely closed  |          | ō        |          |
| 3c. |  |          | _        | ď        |
| 3d. | Stored waste containers in a well-ventilated area  | /        |          | Ö        |
|     | Ensured that dumpsters are properly located (away from air intake vents, operable windows, and food service doors in relation to prevailing winds) |          | <u> </u> | <u> </u> |

# 

| b. | Posted a sign prohibiting vehicles from idling their engines in |                |  |
|----|---|----------------|--|
|    | receiving areas   | Ð.             |  |
|    | Ensured that doors or air harriers are alored between and in    | , <del>-</del> |  |

| 1 |        |   |
|---|--------|---|
|   | Milita |   |
|   |        | ) |
|   |        |   |



- Read the IAQ
   Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

3. ATTIC

# **Walkthrough Inspection Checklist**

|                             | Trainer Land   |                                     |            | -           |    |  |
|-----------------------------|--|-------------------------------------|------------|-------------|----|--|
| School: Near Wallace School |  |                                     |            |             |    |  |
|                             | Room or Area: Estile building Date Completed: 12/2/24                      |                                     |            |             |    |  |
|                             | // . <b></b> //  |                                     |            |             |    |  |
|                             | Signature: All file  | 20-0                                |            | -           |    |  |
|                             |  |                                     |            |             |    |  |
|                             | 4 ADALIND LEVEL  |                                     |            |             |    |  |
|                             | 1. GROUND LEVEL  | Yes                                 | Vo N       | J/A         |    |  |
|                             | la. Ensured that ventilation units operate properly.                       |                                     |            | )           |    |  |
|                             | 1b. Ensured there are no obstructions blocking air i                       |                                     |            | J           |    |  |
|                             | lc. Checked for nests and droppings near outdoor                           |                                     | )          |             |    |  |
|                             | ld. Determined that dumpsters are located away fro                         |                                     | <b>a</b> / | 0           |    |  |
|                             | le. Checked potential sources of air contaminants i                        |                                     | ALIST      | es M        |    |  |
|                             | (chimneys, stacks, industrial plants, exhaust fro                          | om nearby buildings)                |            | O .         |    |  |
|                             | If. Ensured that vehicles avoid idling near outdoor                        |                                     |            |             |    |  |
|                             | Ig. Minimized pesticide application  |                                     |            |             |    |  |
|                             | Ensured that there is proper drainage away from<br>roof downspouts)        | Q.                                  | ۵.         | 350g        | 71 |  |
|                             | li. Ensured that sprinklers spray away from the bu                         |                                     | s St       | nout sel    | Ž  |  |
|                             | air intakes  |                                     |            | <b>A</b> 4. | -  |  |
|                             | ij. Ensured that walk-off mats are used at exterior                        |                                     | ,          | _           |    |  |
|                             | they are cleaned regularly   |                                     | ·          | Ų           |    |  |
|                             | 2. ROOF  |                                     |            |             |    |  |
|                             | While on the roof, consider inspecting the HVAC un                         | its (use the Ventilation Checklist) | ,          |             |    |  |
|                             | 2a. Ensured that the roof is in good condition                             | <b>.</b>                            |            |             |    |  |
|                             | 2b. Checked for evidence of water ponding                                  |                                     | ,0         | سروح 🗆      | L  |  |
|                             | 2c. Checked that ventilation units operate properly                        | (air flows in)                      | , 🗆        |             |    |  |
|                             | 2d. Ensured that exhaust fans operate properly (air                        |                                     | , <u>u</u> | <u> </u>    |    |  |
|                             | 2e. Ensured that air intakes remain open, even at m                        | •                                   | , <u> </u> |             |    |  |
|                             | 2f. Checked for nests and droppings near outdoor                           |                                     | Ü          |             |    |  |
|                             | 2g. Ensured that air from plumbing stacks and exh from outdoor air intakes | -                                   | /<br>      | Ω           |    |  |
|                             | TOTAL CONTROL IN THE INCHES  |                                     |            | _           |    |  |

4a. Ensured that temperature and humidity are maintained within

4. GENERAL CONSIDERATIONS

3a. Checked for evidence of roof and plumbing leaks ......

bat droppin

| 4.                  | GENERAL CONSIDERATIONS (continued)   | Yes No N/A | 1 |
|---------------------|--|------------|---|
| 4f.                 | Checked for signs of water damage  Checked for evidence of pests and obvious food sources  Noted and reviewed all concerns from school occupants   |            |   |
|                     | BATHROOMS AND GENERAL PLUMBING   | joing      |   |
|                     | Ensured that bathrooms and restrooms have operating exhaust fans Ensured proper drain trap maintenance: Water is poured down floor drains once per week (approx. 1 quart of water water is poured into sinks at least once per week (about 2 cups of water) Toilets are flushed at least once per week | er) 9      |   |
| 6.                  | MAINTENANCE SUPPLIES   |            |   |
| бb.                 | Ensured that chemicals are used only with adequate ventilation and when building is unoccupied   | d a a /    |   |
| бс.<br>б <b>d</b> , | Ensured that portable fuel containers are properly closed  | ,          |   |
| 7.                  | COMBUSTION APPLIANCES  |            |   |
| 7c.                 | Checked for combustion gas and fuel odors  Ensured that combustion appliances have flues or exhaust hoods  Checked for leaks, disconnections, and deterioration  Ensured there is no soot on inside or outside of flue components  | <b></b>    |   |
| 8.                  | OTHER  |            |   |
|                     | Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)   |            |   |
| 86.                 | Determined date of last radon test   | <b>)</b>   | • |